

## PRODUCT DATA SHEET

## BABCOCK 200 CENTRIFUGES

The Garver Babcock 200 series has been specially designed to put testing on a scientific basis at a popular price. All models are constructed of cast aluminum for long life, are dynamically balanced to ensure smooth operation, and run at a regulation motor speed acceptable in all continents. Features include; a thermostat when manually set will automatically maintain the correct temperature, dual switches for motor and heater, a thermometer with mounting, and a pilot light which alerts the operator whenever the heater is active. The dual switches and pilot light are contained in a cast aluminum housing mounted on top of the tester. Also included is a visiscope speed indicator. The 200 series will hold glassware 6.5" max height by 1.5" max diameter.



## **200 Series Specifications**

| Model #             | 208                        | 212                        | 224                        |
|---------------------|----------------------------|----------------------------|----------------------------|
| Type                | Babcock Centrifuge         | Babcock Centrifuge         | Babcock Centrifuge         |
| Body Material       | 319 Cast Aluminum          | 319 Cast Aluminum          | 319 Cast Aluminum          |
| Overall Diameter    | 20.0"                      | 20.0"                      | 20.0"                      |
| Overall Height      | 15.5"                      | 15.5"                      | 15.5"                      |
| Net Weight          | 39 lbs                     | 40 lbs                     | 41 lbs                     |
| Shipping Weight     | 49 lbs                     | 50 lbs                     | 51 lbs                     |
| Shipping Size       | 22" x 22" x 19"            | 22" x 22" x 19"            | 22" x 22" x 19"            |
| Voltage             | 115                        | 115                        | 115                        |
| Hertz               | 60                         | 60                         | 60                         |
| Motor HP            | 0.1                        | 0.1                        | 0.1                        |
| Amps                | 6.0                        | 6.0                        | 6.0                        |
| RPM                 | 836 ±25                    | 836 ±25                    | 836 ±25                    |
| G-Force/RCF         | 166                        | 166                        | 166                        |
| Rotor Diameter      | 16.5"                      | 16.5"                      | 16.5"                      |
| Heater              | 500 Watt                   | 500 Watt                   | 500 Watt                   |
| Thermostat          | Adjustable 26° - 100° C    | Adjustable 26° - 100° C    | Adjustable 26° - 100° C    |
| Glassware Max Size  | 6.5" x 1.5"                | 6.5" x 1.5"                | 6.5" x 1.5"                |
| Glassware Capacity  | 8 Babcock Bottles          | 12 Babcock Bottles         | 24 Babcock Bottles         |
| Brake               | Manual                     | Manual                     | Manual                     |
| Switches            | 1 Motor DPST               | 1 Motor DPST               | 1 Motor DPST               |
|                     | 1 Heater DPST              | 1 Heater DPST              | 1 Heater DPST              |
| Pilot/Warning Light | 1 for Heater               | 1 for Heater               | 1 for Heater               |
| Speed Indicator     | Visiscope                  | Visiscope                  | Visiscope                  |
| Thermometer         | Alcohol Base -10° - 100° C | Alcohol Base -10° - 100° C | Alcohol Base -10° - 100° C |
| Available Options   | DL                         | DL                         | DL                         |

Option Codes: (D) Digital Read Out, (L) Lockable Lid, (GB) Will perform Gerber and Babcock tests

All centrifuges come equipped with rotor, trunnions, and cups.

Other voltages and frequencies available.

Custom centrifuges available for plastic and glassware, 15ml – 250ml, 4-36 bottle capacity, up to 800 X G. Call for quotes